

DEPARTMENT OF HEALTH AND HUMAN SERVICES
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/27/2011
FORM APPROVED
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 15G563		(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED R-C 12/21/2011	
NAME OF PROVIDER OR SUPPLIER ST VINCENT NEW HOPE INC				STREET ADDRESS, CITY, STATE, ZIP CODE 2999 WESTLANE RD INDIANAPOLIS, IN 46268			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
{W 000}	<p>INITIAL COMMENTS</p> <p>This visit was for the post certification revisit (PCR) to the investigation of complaint #IN00098720 completed on 11/4/11.</p> <p>Complaint #IN00098720: Corrected.</p> <p>Survey Dates: 12/20/11 and 12/21/11</p> <p>Facility number: 001077 Provider number: 15G563 AIMS number: 100245490</p> <p>Surveyor: Keith Briner, Medical Surveyor III/QMRP</p> <p>St. Vincent New Hope, Inc., was found to be in compliance with 42 CFR Part 483, Subpart I and 460 IAC 9 in regard to the PCR to the investigation of complaint #IN00098720. Quality Review completed 12/22/11 by Ruth Shackelford, Medical Surveyor III.</p>			{W 000}			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.